

Skeleton Java program

```
public class HelloWorld {  
    public static void main(String[] args) {  
        System.out.println("Hello world.");  
    }  
}
```

Printing to the screen

```
System.out.println(str); // str can be a String variable or literal  
System.out.print(str); // no new line at the end  
  
// Example:  
System.out.println("Hello world.");  
  
// Printing without a new line:  
System.out.print("Hello world. ");  
System.out.print("How are you?");
```

Variables

```
// Common types: int, long, (float), double, boolean, char, String  
  
// Declare a variable:  
int myVarName;  
  
// Declare and initialize a variable:  
int myVarName = 5;  
  
// (Re-)Assign to an existing variable:  
myVarName = 10;  
  
// Print a variable:  
System.out.println(myVarName);  
System.out.println("The value is: " + myValue);
```

Comments

```
// Line comment  
  
/* Block comment  
More lines  
Yet more lines. */
```

User input

```
// goes at the top of the program  
import java.util.Scanner;  
  
// goes in main  
Scanner scanner = new Scanner(System.in);  
  
// Read a string  
String str = scanner.nextLine();  
  
// Read an integer  
int num = scanner.nextInt();  
  
// Read a double  
double myDouble = scanner.nextDouble();  
  
// Read a boolean  
boolean bool = scanner.nextBoolean();  
  
// To prompt the user for input, print the prompt  
// then ask for input. For example:  
System.out.println("What is your name? ");  
String name = scanner.nextLine();  
System.out.println("What is your age? ");  
int age = scanner.nextInt();
```

Comparison Operators

```
// Comparison operators evaluate to booleans (true/false values)  
  
x == y      // test if x is equal to y  
x != y      // test if x is not equal to y  
x > y       // test if x is greater than y  
x >= y      // test if x is greater than or equal to y  
x < y       // test if x is less than y  
x <= y      // test if x is less than or equal to y  
  
// Comparison operators in if statements  
if (x == y)  
{  
    System.out.println("x and y are equal");  
}  
  
if (x > 5)  
{  
    System.out.println("x is greater than 5.");  
}
```

Math

```
// Operators:  
+   Addition  
-   Subtraction  
*   Multiplication  
/   Division  
%   Modulus (Remainder)  
()  Parentheses (For order of operations)  
  
NOTE: Dividing one integer by another always results in an integer!  
int x = 7 / 3;           // x is now 2.  
double y = 7 / 3;         // Doesn't help: y is 2.  
double z = 7 / 3.0;       // z is now 2.3333...  
int w = 7 / 3.0;          // Careful! Truncated to integer!  
  
// Examples  
int z = x + y;  
int w = x * y;  
  
// Increment (add one)  
x++;  
  
// Decrement (subtract one)  
x--;  
  
// Shortcuts  
x = x + y;      x += y;  
x = x - y;      x -= y;  
x = x * y;      x *= y;  
x = x / y;      x /= y;  
  
// More math:  
Math.pow(a, b) returns a raised to the b power (as a double)  
Math.random() returns a random floating-point number between 0 and 1  
(as a double)  
  
Math.abs(x) returns the absolute value of x
```

Booleans

```
// A boolean is either true or false  
boolean myBoolean = true;  
boolean anotherBoolean = false;  
  
// Not operator  
boolean x = !y;           // x gets the opposite of y  
  
// And operator  
boolean z = x && y;       // z is true if x and y are both true  
  
// Or operator  
boolean w = x || y;       // w is true if either x or y are true  
  
// You can combine many booleans!  
boolean boolExp = x && (y || z);
```

If Statements, If/Else, If/Else If/Else

```
// Plain "if":  
  
if (Boolean expression)  
{  
    // code to execute if true  
}  
  
// Example:  
  
if (x < 0)  
{  
    System.out.println("x is negative.");  
}  
  
// "if" with "else":  
  
if (Boolean expression)  
{  
    // code if true  
}  
else  
{  
    // code if false  
}
```

Casting: Convert from one variable type to another

```
Variable1 = (type)variable2;  
  
// example:  
double x = 2.9;  
int y = (int)x; // y is now 2
```

```

// Example:
if (x % 2 == 1 || x % 3 == 0)
{
    System.out.println("x is odd or is divisible by 3");
}
else
{
    System.out.println("x is even and not divisible by 3");
}

// You can chain these together with "else if" (like Python's elif):

if (condition_1)
{
    ...
}
else if (condition_2)
{
    ...
}
else if (condition_3)
{
    ...
}
else
{
    ...
}

// Nested ifs:

if (condition_1)
{
    // this code runs if condition 1 is true
}
else
{
    // this code runs if condition 1 is false

    if (condition_2)
    {
        // this code runs if condition 2 is true
    }
    else
    {
        // this code runs if condition 2 is false
    }
}

```

For Loops

```

for (initialization; test; increment)
{
    /* Code here */
}

// How it works:

// Run initialization. Then run the code in the loop while
// the test is true. Run the increment after each time through
// the loop.

// Print numbers 0-9:
for (int i = 0; i < 10; i++)
{
    System.out.println(i);
}

// Print numbers 10 to 1:
for (int i = 10; i >= 1; i--)
{
    System.out.println(i);
}

```

While Loops

```

while (boolean expression)
{
    /* Repeat code between brackets while the
       boolean expression is true */
}

// Countdown from 15 to 11
int i = 15;
while (i > 10)
{
    System.out.println(i);
    i--;
}

```

Do-While Loops

```
do
{
    /* Repeat code between brackets while
       'boolean expression' is true, but only begin
       testing the expression after the loop has run once. */
} while (boolean expression);

// Example:
int x;
do
{
    x = scan.nextInt();
} while (x != 0); // avoids having to initialize x to a dummy value

// Can use "while true" loops like in Python:
while (true)
{
    // code
    if (condition)
    {
        break;
    }
}
```